	Application No.	Applicant(s)	
Notice of Allowability	10/075,591	AKIMOTO ET AL.	
	Examiner	Art Unit	
	Kevin M. Nguyen	2674	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communication. This application is su	this application. If not including in the including a line in the mailed in due in the industrial in the industrial in the industrial industria	ded e course. THIS
1. This communication is responsive to 10/18/2004.		,	
2. 🔀 The allowed claim(s) is/are <u>1-21</u> .			
3. $igspace$ The drawings filed on <u>15 February 2004</u> are accepted by the	ne Examiner.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the re	equirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review S Amendment / Comment or in 84(c)) should be written on the	n the Office action of drawings in the front (not the	e back) of
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I 	SIT OF BIOLOGICAL MATER FOR THE DEPOSIT OF BIOL	RIAL must be submitted. .OGICAL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Sur		O-152)
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		lail Date mendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's S	tatement of Reasons for All	owance
of Biological Material	9.	XIAO WU PRIMARY EXAMINER	

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)

Page 2

Application/Control Number: 10/075,591

Art Unit: 2674

REASONS FOR ALLOWANCE

1. Claims 1-21 are allowed.

2. The following is an examiner's restatement of reasons for allowance:

Ting (US 6,486,606) does not teach an image display device comprising a second switch means provided between the input terminal and an output terminal of the input voltage inversion/output means; a pixel drive voltage generation means for generating a pixel drive voltage, the pixel drive voltage being swept within a predetermined voltage ranges including the display signal voltage.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Kevin M. Nguyen** whose telephone number is **703-305-6209**. The examiner can normally be reached on MON-THU from 9:00-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard A Hjerpe can be reached on 703-305-4709.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Application/Control Number: 10/075,591

Art Unit: 2674

or faxed to:

(703) 872-9306 (for Technology Center 2600 only)

Hand-delivered response should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Kevin M. Nguyen Patent Examiner Art Unit 2674

KN November 16, 2004

> XIAO WU PRIMARY EXAMINER